





STANDARD PRODUCT INFORMATION

TABLE TOP Manufactured from 18mm HPL (see Frames and Finishes section on our website for full range)

or 18mm melamine faced chipboard.

EDGE FINISH 2mm thick ABS lipping matched to top colour, square profile.

GRAIN DIRECTION Grain direction on table tops runs lengthwise.

Grain direction on rectangular bridge tops runs lengthwise.

Grain direction on corners runs diagonally.

Grain direction on circular tops runs in line with underframe.

UNDERFRAME Powder coated finish in white semi gloss, light grey semi gloss, graphite texture.

LEG Powder coated finish in white semi gloss, light grey semi gloss, graphite texture, satin anodised aluminium finish.

MODESTY PANEL Finish available in white semi gloss, light grey semi gloss, graphite texture.

FEET Black GRP glides fitted are adjustable up to 25mm to allow levelling.

LINKING Tables, bridges or corners fitted with 1 pair of link clip/modesty panel hanger as standard.

ASSEMBLY Tables will be supplied flat packed; fitting of legs required unless specified otherwise.

The only tool needed is an 4mm allen key which is supplied.

OPTIONAL (on request)

CASTORS Tables can be fitted with 2 braked castors & 2 height adjustable feet.

CABLE PORT 80mm diameter port can be fitted centred to long edge.

The Meet-U® table has successfully satisfied BS EN 15372:2008 Level 3 (Severe Contract use).

For cleaning and maintenance please visit our website.




White top
White underframe
White leq



White top Light grey underframe Grey leg



White top Graphite texture underframe Graphite texture leg



White top White underframe Satin anodised aluminium leg



Light grey top White underframe White leg



Light grey top Light grey underframe Light grey leg



Canadian maple top White underframe White leg



Canadian maple top Light grey underframe Light grey leg



Canadian maple top Graphite texture underframe Graphite texture leg



Romana cherry top White underframe White leg



Romana cherry top Light grey underframe Light grey leg



Romana cherry top Graphite texture underframe Graphite texture leg

Meet-U®

TOP, UNDERFRAME AND LEG FINISH OPTIONS



Light grey top Graphite texture underframe Graphite texture leq



Light grey top Light grey underframe Satin anodised aluminium lea



Graphite top White underframe White leg



Graphite top Light grey underframe Light grey leg



Graphite top
Graphite texture
underframe
Graphite texture leq



Graphite top Graphite underframe Satin anodised aluminium leg



Cordoba olive top White underframe White leg



Cordoba olive top Light grey underframe Light grey leg



Cordoba olive top Graphite texture underframe Graphite texture leg

MTU.11 600 1200 740 MTU.12 600 1500 740 MTU.13 600 1800 740 MTU.21 750 1200 740 MTU.22 750 1500 740 MTU.23 750 1800 740 MTU.31 900 1200 740 MTU.32 900 1500 740 MTU.33 900 1800 740 ARES MTU.24 750 750 740 MTU.34 900 900 740 MTU.34 1200 1200 740 MTU.44 1200 1200 740 MTU.54 1500 1500 740	SHAPE	Model Number	Width	Length	Height
MTU.11 600 1200 740 MTU.12 600 1500 740 MTU.13 600 1800 740 MTU.21 750 1200 740 MTU.22 750 1500 740 MTU.23 750 1800 740 MTU.31 900 1200 740 MTU.32 900 1500 740 MTU.33 900 1800 740 ARES MTU.34 750 750 740 MTU.34 900 900 740 MTU.34 1200 1200 740 MTU.34 1500 1500 740 MTU.54 1500 1500 740 MTU.54 750 750 750 740 MTU.55 750 1200 N/A MTU.56 750 1500 N/A MTU.26 750 1500 N/A MTU.26 750 1500 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A	TANDARD RECTANGLES				
MTU.12 600 1500 740 MTU.13 600 1800 740 MTU.21 750 1200 740 MTU.22 750 1500 740 MTU.23 750 1800 740 MTU.31 900 1200 740 MTU.32 900 1500 740 MTU.33 900 1800 740 ARES MTU.34 750 750 740 MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 740 MTU.54 1500 1500 740 MTU.54 750 750 750 740 MTU.54 750 750 750 740 MTU.54 750 750 750 740 MTU.54 750 750 750 740 MTU.54 750 750 750 740 MTU.54 750 750 750 740 MTU.54 750 750 750 740 MTU.55 750 1200 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.26 750 1500 N/A MTU.26 750 1500 N/A					
MTU.13 600 1800 740 MTU.21 750 1200 740 MTU.22 750 1500 740 MTU.23 750 1800 740 MTU.31 900 1200 740 MTU.32 900 1500 740 MTU.33 900 1800 740 ARES MTU.24 750 750 740 MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 740 MTU.54 1500 1500 N/A MTU.55 750 1200 N/A MTU.26 750 1500 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.21 750 1200 740 MTU.22 750 1500 740 MTU.23 750 1800 740 MTU.31 900 1200 740 MTU.32 900 1500 740 MTU.33 900 1800 740 ARES MTU.24 750 750 740 MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 740 NDARD BRIDGE TOPS MTU.15 600 1200 740 MTU.54 1500 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.22		WIT 0.13	000	1000	740
MTU.23 750 1800 740 MTU.31 900 1200 740 MTU.32 900 1500 740 MTU.33 900 1800 740 MTU.34 750 750 740 MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 740 MTU.54 1500 1500 N/A MTU.55 750 1200 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A				1200	740
MTU.31 900 1200 740 MTU.32 900 1500 740 MTU.33 900 1800 740 ARES MTU.24 750 750 740 MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 740 MTU.54 1500 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.32 900 1500 740 MTU.33 900 1800 740 ARES MTU.24 750 750 740 MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 N/A MTU.54 1500 1500 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A		MTU.23	750	1800	740
MTU.32 900 1500 740 MTU.33 900 1800 740 ARES MTU.24 750 750 740 MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 N/A MTU.54 1500 1500 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A		MTI I 31	900	1200	740
MTU.33 900 1800 740 ARES MTU.24 750 750 740 MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 N/A MTU.15 600 1200 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.24 750 750 740 MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 740 NDARD BRIDGE TOPS MTU.15 600 1200 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.24 750 750 740 MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 740 NDARD BRIDGE TOPS MTU.15 600 1200 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.24 750 750 740 MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 740 NDARD BRIDGE TOPS MTU.15 600 1200 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A	SQUARES				
MTU.34 900 900 740 MTU.44 1200 1200 740 MTU.54 1500 1500 740 NDARD BRIDGE TOPS MTU.15 600 1200 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A	3QOTTILES	MTLLO4	750	750	740
MTU.44 1200 1200 740 MTU.54 1500 1500 740 NDARD BRIDGE TOPS MTU.15 600 1200 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.54 1500 1500 740 NDARD BRIDGE TOPS MTU.15 600 1200 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.15 600 1200 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.15 600 1200 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.15 600 1200 N/A MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.16 600 1500 N/A MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A	STANDARD BRIDGE TOPS				
MTU.25 750 1200 N/A MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.26 750 1500 N/A MTU.35 900 1200 N/A					
MTU.36 900 1500 N/A					
		MTU.36	900	1500	N/A

Meet-U®

TECHNICAL SPECIFICATIONS & OPTIONS

SHAPE	Model Number	Width	Length	Height
CORNERS	MTU.17 quadrant MTU.27 quadrant MTU.37 quadrant MTU.18 triangle MTU.28 triangle MTU.38 triangle	to fit 600 to fit 750 to fit 900 to fit 600 to fit 750 to fit 900	600 750 900 600 750 900	N/A N/A N/A N/A N/A
ROUNDS	MTU.61 MTU.62	1200 dia 1500 dia		740 740
MODESTY PANELS	MTU.71 MTU.72 MTU.73 MTU.74 MTU.75 MTU.76 MTU.81 BRIDGE MTU.82 BRIDGE MTU.83 BRIDGE MTU.83 BRIDGE MTU.84 BRIDGE	to fit 600 to fit 750 to fit 900 to fit 1200 to fit 1800 to fit 600 to fit 750 to fit 900 to fit 1200 to fit 1500		250 250 250 250 250 250 250 250 250 250
OPTIONAL (on request) Anodised Legs Castors (2 per table) Cable Port	MTU.LNK			

FLAIR



The Flair chair is designed for use in all aspects of conferencing, from the large congress hall facility to the intimate meeting room. Flair incorporates all that is desirable in a conference chair.

The multi-contoured seat shell offers true comfort while maintaining a compact footprint for maximum numbers and the simple aesthetics and clean lines give architects and designers flexibility to offer a contemporary solution for all environments. Flair is available fully upholstered and the chrome plated frame features a unique flared leg detail and a foot incorporating a stacking buffer. Optional features include a retractable link, number clip, recessed handle and a detachable tablet. The stacking trolley enables the chairs to be handled and stored easily.

Model Number	Height	Width	Depth	Seat Height	Stacks	Weight
17/1	88	47.5	58	47	10	7.8
17/1A	88	58	58	47	10	9.6

FLEXE



Flexe is designed by one of Europe's leading furniture designers, Martin Ballendat, exclusively for Burgess. The Flexe aluminium chair features a unique flex bracket which means the chair not only looks fantastic but is also extremely comfortable, allowing gentle movement whilst seated.

Flexe is both contemporary and practical and is perfect for any office, meeting room or conference venue. Flexe is available as a task chair in Cherry, Natural Beech or Standard Walnut finish, complemented by a range of quality contract fabrics.

Model Number	Height	Width	Depth	Seat Height	Stacks	Weight
06/3A	84	61.5	58	42+8	N/A	10.8

SENTRUM

05/1A 05/2A

The Sentrum, designed by Peter Roth, is a range of sleek and contemporary chairs to suit any meeting, conference, boardroom or office. Giving superb comfort from its built-in webbed seat base, the Sentrum features a tapered chromed steel frame which is covered with an innovative knitted mesh fabric.

The Sentrum is available as an armchair with a cantilever base for maximum comfort. Alternatively there is the '5 star' base with castors and a fully adjustable height and tilt mechanism, ensuring great posture and comfort. The polished aluminium cast arms feature timber pad inserts to coordinate with our range of table finishes.

Model Number	Height	Width	Depth	Seat Height	Stacks	Weight
05/1A	96	57	60	48.5	6	9.3
05/2A	97	57	62	49+5	N/A	15.3

TIANI



Tiani is a collection designed by Simon Pengelly to provide a suite of multipurpose chairs for the corporate and leisure contract markets. Tiani will complement a contemporary interior whilst blending aesthetic simplicity with comfort and durability. The chrome plated steel frames are finished to the highest standard and feature a cantilevered back which, with the ribbed upholstery, provides a flexible lumbar.

The chairs are available in leather or a wide selection of Burgess fabrics and the arms are leather covered. All models have a sprung webbed seat whilst the 02/1 and 02/2 incorporate a moulded plastic seatpan to allow seat stacking without marking, a trolley is available to enable the chairs to be handled and transported easily. The 02/4 task chair with its 5 star base, adjustable height and tilt mechanism are perfectly suited for conference and meeting rooms.



Height	Width	Depth	Seat Height	Stacks	Weight
					Г
77.5	58	60	46.5	5	9.3
77.5	56	57	46	5	9.2
79	56	57	53	N/A	15.6
	77.5 77.5	77.5 58 77.5 56	77.5 58 60 77.5 56 57	77.5 58 60 46.5 77.5 56 57 46	77.5 58 60 46.5 5 77.5 56 57 46 5

Configure-8 Flip-Top

The Configure-8 Flip-Top table answers all the needs of the most demanding conferences and meeting rooms. It can be supplied with a flip top power and data module inset into the table if required, and it offers a superior nesting table system, with tables able to be stored in echelon with the top in the vertical position. The anodised aluminium leg frames are set out to the ends of the table to enable the user to sit in complete comfort.

Features include the flip-top mechanism with a quick release operation and a choice of high pressure laminate or real wood laminate top finishes with square hardwood edge with 3mm radius. With the power module installed there is optional 3 way cable trunking fitted inside the leg upright and a cable tray and front fascia panel.

SHAPE	Model Number	Width	Length	Height
STANDARD RECTANGLES				
	C8FLT1	600	1200	760
	C8FLT2 C8FLT3	600 600	1500	760 760
	C8FLT6	750	1800 1200	760
	C8FLT7	750	1500	760
	C8FLT8	750	1800	760
HALF ROUNDS				
	C8FLT4 C8FLT9	600 750	1200 1500	760 760
QUADRANT CORNERS				
	C8FLTQ60	600		
	C8FLTQ75	750		
2 Socket Power and Data Mode	ule fitted, including fascia p	panel and cable	e tray	
3 Socket Power and data Mod	ule fitted, including fascia	panel and cable	e tray	

TABLE TOP Manufactured from Burgess high pressure laminate or wood laminate.

Available in an wide range of colours and finishes.

GRAIN DIRECTION Grain direction on rectangular tables runs lengthwise.

Grain direction on half round tables runs widthwise. Grain direction on quadrant corners runs diagonally.

EDGE FINISH Hardwood edge with 3mm radius.

UNDERFRAME AND LEG Anodised aluminium.

MODESTY PANEL As standard in matching finish.

FEET Castors with 2 braked fitted as standard.

LINKING Tables fitted with rotary connectors as standard.

OPTIONAL (on request)

FITTED POWER MODULE Power modules have the facility for daisy chaining to reduce extension cables, up to 6 sockets max., RJ45 Cat 6 data ports and

the power sockets can be ordered to accept different country's requirements.



CONDITIONS OF SALE & DELIVERY

Any Contracts entered into between Burgess Furniture Ltd (herein called 'The Company') and any person, firm or company (herein called 'The Buyer') will be subject to the Conditions of Sale as set out below.

1. PRICES

Unless otherwise specified by The Company in writing, all prices quoted are Net, exclusive of Value Added Tax. All prices quoted are, unless stated in writing, subject to variation without prior notice. In all other instances prices ruling at the date of delivery apply. Each quotation is for the stipulated quantities only and will not apply to any different quantity or any other order or enquiry.

2. CUSTOMERS OWN MATERIAL (COM)

Whilst we accept to manufacture chairs with Customer's Own Material (COM fabric), it is presumed that all performance attributes of such fabrics are known by the customer or specifying agent, as we cannot test COM fabrics supplied to us for their suitability and long term performance and therefore we cannot accept responsibility for their failure in use.

3. CREDIT ACCOUNTS

The purchase of goods on credit will be deemed to be acceptance of these Conditions of Sale, in particular acceptance of the Terms of Payment.

- 4. Customers to whom credit facilities have been granted must settle accounts within 30 days from end of invoice month.
- 5. In the event of goods remaining unpaid after the due date the Buyer shall pay interest to the company at 2% per month on the outstanding balance from the due date until payment is made in full.
- 6. The company reserves the right to refuse to deliver if the Buyer's account is overdue or credit references are unsatisfactory.

7. RESERVATION OF TITLE

- i) The Company at all times reserves the legal title and beneficial ownership in goods sold by it until payment has been made by the Buyer in full of all sums owing by the Buyer to the Company.
- ii) Until title to the goods passes to the Buyer, the Buyer shall keep the goods complete, in good condition and stored separately from any other goods which are not the property of the Company so that they can be readily identified as the property of the Company.
- iii) In the event of non-payment by the Buyer in accordance with the terms agreed by the Company the Buyer authorises the Company to enter upon The Buyer's premises to remove the goods.
- iv) On delivery all risk in the goods pass to the Buyer who shall insure the goods to the full price against all risk to the reasonable satisfaction of the Company and may be required on request to produce a copy of such policy of insurance to the Company.
- vi) Until the Buyer has made payment in full of all sums owing to the Company, the Buyer shall hold the goods as bailee for the Company. Proceeds of any such sale shall be held by the Buyer for the account of the Company, to be applied first in payment of all sums due from the Buyer to the Company. The Buyer irrevocably appoints The Company its attorney for the purpose of perfecting the Company's title to any such proceeds of sale.

8. SUPPLY

The Company can accept no responsibility for loss consequential or otherwise resulting from failure to supply goods, services, material or equipment.

9. DESCRIPTIVE MATTER AND ILLUSTRATION

All illustrations, drawings, catalogues, and descriptive matter are of a generally informative nature only, and do not form part of the specification or description of the goods except to the extent expressly incorporated in them in writing.

10. DELIVERY

We shall not in any circumstances be considered liable for any goods considered damaged in transit, defective, or otherwise, unless such damage is reported to us, and the carrier (if any concerned) within 48 hours of receipt of goods by the Buyer.

In the event of non-delivery of the goods in whole or in part without prejudice to the above mentioned conditions of carriage the Company shall not be liable unless notice in writing of such non-delivery is received by the Company within fourteen days of the date of despatch.

Dates of delivery are estimated and no liability can be accepted for any loss consequential or otherwise rising from the delay.

If the Buyer is unable to accept delivery on the date agreed at the time of the order a charge will be made by the Company for handling and storage until such time as delivery is made.

11. RETURNS

Any goods supplied in accordance with an order cannot be returned without the Company's written consent. Application for such consent can only be considered within 30 days from the date of invoice and must be in writing stating date and number of invoice on which the goods were supplied along with an explanation for return. On any agreed returns goods will be credited by the Company at Invoice price less a 15% handling charge.

12. CANCELLATIONS

Whilst every effort will be made to meet individual buyers requirements, amendments or cancellations of any order, or part thereof, can only be accepted by agreement. Should the Company accept cancellation of an order, or part of an order, it is understood that the Buyer will accept a charge for costs incurred by the Company.


13. LIABILITY

The Company shall in no circumstances be liable for consequential losses of any kind arising directly or indirectly from or in consequence of, a sale of any goods, by the Company, or the use of any of the Company's goods, except in so far as the law expressly forbids the exclusion of liability for a specific condition, guarantee or warranty.

14. CONTRACT CONDITIONS

Any variations or conditions intended to be introduced by the Buyer form no part of the contract of sale between the Company and the Buyer unless such variation or condition has been agreed in writing by the Company.

None of the Company's employees or Agents has the authority to bind the Company by an oral agreement at variance to these conditions of sale.



www.burgessfurniture.com hburgess

Hanworth Trading Estate, Feltham, Middlesex TW13 6EH UK

Meet-U® is a trademark of Burgess Furniture Limited

Telephone: +44 (0)20 8894 9231 Fax: +44 (0)20 8894 2943 Email: sales@burgessfurniture.com